

vl·e



virtual laboratory for e·science

VL-e Med, VL-fMRI and all that

Sílvia D. Olabbarriaga

Academic Medical Center
Informatics Institute
University of Amsterdam

S.D.Olabbarriaga@amc.uva.nl

silvia@science.uva.nl

www.science.uva.nl/~silvia



vl·e

Overview

- VL-e, VL-e Medical
- Use Case: Functional MRI
 - Introduction
 - Virtual Lab for fMRI
 - Approach
 - Implementation
- Final Remarks





Virtual Lab for e-Science

Towards a new Science Paradigm

Project Director
Prof. Dr. L.O. Hertzberger

This work is supported by a BSIK grant of the
 Dutch Ministry of Education, Culture and Science (OC&W)
 and is part of the ICT innovation programme of the
 Dutch Ministry of Economic Affairs (EZ)



vl·e




VL-e

- Goal
 - “bridge the gap between the technology push of the high performance networking and the Grid and the application pull of a wide range of scientific experimental applications”
- Approach
 - Provide infrastructure
 - Facilitate expertise exchange (grid technology and application domain)
 - Development of e-Science applications



VL-e Approach



- The meaning of “e” in **e-Science** is...
 - electronic
 - enhanced



Enhancement in Medical Imaging?

- Data Storage
 - Large capacity, long-term
- Data Analysis
 - Computation capacity (latency, throughput)
 - Software interoperability
- Data Access
 - Remote access (dispersed organizations)
 - Collaboration
 - Security (patient data)
- Data Logistics and Management
 - Heterogeneous and dispersed systems
 - Workflow management



VL-e Medical Subprogram

- Goal:
 - Develop grid-enabled problem-solving environments to *enhance* advanced clinical and research in medical imaging
- Activities
 - High performance image analysis
 - Workflow
 - Visualization
 - **Virtual Lab for fMRI**




Overview


- VL-e, VL-e Medical
- Use Case: Functional MRI
 - Introduction
 - Virtual Lab for fMRI
 - Approach
 - Implementation
- Final Remarks




Functional Imaging of the Brain with fMRI




fMRI: Individuals



fMRI: Group Studies




Data Management in fMRI



Data Management in fMRI

Data Acquisition:

- Dispersed equipments
- Data privacy




Overview


- VL-e, VL-e Medical
- Use Case: Functional MRI
 - Introduction
 - Virtual Lab for fMRI
 - Approach
 - Implementation
- Final Remarks




Virtual Lab for fMRI



VL-fMRI: Resources



VL-fMRI: Services



Virtual Resource Browser

Contrib: Piter de Boer (IvI,UvA)

- Interactive GUI for resource browsing
- Access to virtual (grid-enabled) resources
- MIME-type enabled
- Built on VL-e Toolkit (VLET)
- Plug-ins
- Multi-platform (Java)



Data Acquisition

The screenshot shows a file manager window with the following components:

- Resource Panel:** A tree view showing the current location and its contents:
 - MyVLe:///
 - /home/silvia
 - MySRB
 - GFTP AMC-UI
 - 3TMRI
 - ui.matrix
 - RFTS AMC-UI
 - nimrod
 - lml
 - sftp lml
 - thuis
- IconsPanel:** A grid of icons representing the resources. Some icons are circled:
 - Red circles: MySRB, ui.matrix, nimrod
 - Green circles: GFTP AMC-UI, 3TMRI, RFTS AMC-UI
- TablePanel:** A table listing the details of the resources.

icon	type	name	sche...	hostname	path
	Link	/home/silvia	file		/home/silvia
	Server	MySRB	srb	mu2.matrix.sara.nl	/~
	Server	GFTP AMC-UI	gftp	grid-ui01.amc.nl	/~
	Server	3TMRI	sftp	145.117.194.143	/home/export
	Server	ui.matrix	sftp	ui.matrix.sara.nl	/~
	Server	RFTS AMC-UI	rfts	grid-ui01.amc.nl	
	Server	nimrod	sftp	nimrod.vl-e.nl	/~
	Server	lml	sftp	remote.science.uv...	/~
	Server	thuis	sftp	ns.tacta.nl	/~
	Link	localhost: /	file		/


SARA
AMC

Data Acquisition: 3.0 Tesla MRI

Location: sftp://3tftp@145.117.194.143/home/export

icon	name	type	length	modificationTime	MimeType	per...
Folder icon	My eBooks	Dir	0	2005 Jun 22 12:56:04 (...)	application/...	d-...
Folder icon	My Music	Dir	0	2005 Aug 23 17:32:17 (...)	application/...	d-...
Folder icon	als_spectra	Dir	0	Jul 21 19:11:09 (MEST)	application/...	d-...
Folder icon	C	Dir	0	Sep 06 14:03:06 (MEST)	application/...	dr...
Folder icon	My Pictures	Dir	0	Aug 28 12:00:25 (MEST)	application/...	d-...
File icon	PPAYSO1_4_1.PAR	File	222745	Aug 22 15:07:08 (MEST)	application/...	----
File icon	PPAYSO1_4_1.REC	File	9011200	Aug 22 15:07:08 (MEST)	application/...	----
File icon	PPAYSO1_3_1.REC	File	9011200	Aug 22 15:07:21 (MEST)	application/...	----
File icon	PPAYSO1_3_1.PAR	File	222745	Aug 22 15:07:21 (MEST)	application/...	----
File icon	PPAYSO1_2_1.REC	File	31457280	Aug 22 15:07:23 (MEST)	application/...	----
File icon	PPAYSO1_2_1.PAR	File	16832	Aug 22 15:07:23 (MEST)	application/...	----
File icon	PPAYSO1_1_1.PAR	File	6635	Aug 22 15:07:23 (MEST)	application/...	----
File icon	PPAYSO1_1_1.REC	File	1179648	Aug 22 15:07:23 (MEST)	application/...	----
File icon	PPADRIENNE1_4_1.PAR	File	222751	Aug 23 13:48:31 (MEST)	application/...	----
File icon	PPADRIENNE1_4_1.REC	File	9011200	Aug 23 13:48:31 (MEST)	application/...	----
File icon	PPADRIENNE1_3_1.PAR	File	16838	Aug 23 13:48:32 (MEST)	application/...	----
File icon	PPADRIENNE1_3_1.REC	File	31457280	Aug 23 13:48:32 (MEST)	application/...	----
File icon	PPADRIENNE1_1_1.REC	File	1179648	Aug 23 13:48:33 (MEST)	application/...	----
File icon	PPADRIENNE1_1_1.PAR	File	6643	Aug 23 13:48:33 (MEST)	application/...	----
File icon	PPADRIENNE1_5_1.REC	File	9011200	Aug 23 13:55:56 (MEST)	application/...	----
File icon	PPADRIENNE1_5_1.PAR	File	222751	Aug 23 13:55:56 (MEST)	application/...	----
File icon	PPADRIENNE1_6_1.REC	File	2883584	Aug 23 13:57:51 (MEST)	application/...	----
File icon	PPADRIENNE1_6_1.PAR	File	9223	Aug 23 13:57:51 (MEST)	application/...	----
File icon	HOEKENRICHE_12_2.REC	File	0	Aug 24 09:31:56 (MEST)	application/...	----
File icon	HOEKENRICHE_12_2.PAR	File	4849	Aug 24 09:31:56 (MEST)	application/...	----
File icon	HOEKENRICHE_12_1.REC	File	5242880	Aug 24 09:31:58 (MEST)	application/...	----
File icon	HOEKENRICHE_12_1.PAR	File	36765	Aug 24 09:31:58 (MEST)	application/...	----
File icon	HOEKENRICHE_11_1.REC	File	9175040	Aug 24 09:32:01 (MEST)	application/...	----

User Authentication




Data Storage

- **SDSC Storage Resource Broker (SRB)**
 - single file hierarchy for data distributed across heterogeneous storage systems in multiple organizations.
 - supports the management, collaboration, controlled sharing, publication, replication, transfer, and preservation of distributed data.
- **In VL-e PoC**
 - SRB server hosted by SARA
 - On-line storage
 - Near-line storage (tape)



SRB @ VL-e PoC



Reliable File Transfer (GT4) Service

Contrib: Ketan Maheshwari (IvI,UvA)


The screenshot displays a graphical user interface for a Grid environment. On the left, a 'Resource' browser shows a tree structure of resources, including 'MyVLe', 'MyVLe:///home/silvia', and 'nimrod'. The 'TablePanel' on the right contains a table with 8 rows and one column labeled 'name'. The 'PropertyViewer' shows details for a selected resource, including 'icon', 'name', 'sourceFilename', and 'sourceHostname'. A 'Resource Event Message' dialog box is overlaid on the interface, displaying the following text:

```

=== Finished RFT Transfer ===
Transfer key = 46
Overall Status = Done
--- Transfer[0]---
- source = gsiftp://grid-ui01.amc.nl:2811/home/silvia/Transfer/
- destination = gsiftp://kop.nikhef.nl:2811/VLENL/home/silvia.olabarriaga.menl/Transfer/
- nr. attempts = null
- status = null
  
```

An 'OK' button is visible at the bottom of the dialog box.

Data Access



Data Access (2)

The image shows a file manager window on the left and a code editor window on the right. The file manager displays a directory tree for 'nimrod' with subdirectories like 'bin', 'mynimrod', and 'experiments'. The 'sweepPhase-pp1' directory is selected. The code editor shows a task configuration for 'main' with parameters and execution commands.

```

# + copy stdout, stderr from node
#
# sweep convolve_phase parameter
parameter NIM_scan text select anyof iaps28 iaps35;
parameter NIM_subject text default pp1;
parameter NIM_convolve_phase float range from -2 to 2 step 0.25;

task main
onerror ignore
copy ./runJob.sh node:
copy ./MdasEnv node:

# this replaces NIM_convolve_phase
copy ./design-iaps-phase-template.fsf node:
node:substitute design-iaps-phase-template.fsf design-iaps-phase.fsf

# this replaces NIM_subject, NIM_scan, NIM_convolve_phase
copy ./runfeat-phase-template.conf node:
node:substitute runfeat-phase-template.conf runfeat-phase.conf

# now run
node:execute /bin/bash ./runJob.sh ./runfeat-phase.conf ./MdasEnv

# get output
copy node:stderr stderr.${NIM_subject}-${NIM_scan}-p${NIM_convolve_ph
copy node:stdout stdout.${NIM_subject}-${NIM_scan}-p${NIM_convolve_p
endtask
  
```


Data Access (4)

Contrib: Abdullah Ozsoy (IvI,UvA)

The screenshot displays the VBrowser application interface. At the top, there is a menu bar with 'Location', 'Edit', 'View', 'Tools', and 'Help'. Below the menu is a toolbar with navigation icons and a 'Location:' field containing 'srb'. The main window is divided into several panels:


- Resource Panel (Left):** Shows a tree view of the file system, including 'MyVLe://', '/home/', 'link:srb:', 'publ', 'vlenl', 'zeki', and 'localhos'.
- Resource Panel (Top-Left):** Displays a list of files and folders, including 'demoVL-fMRI', 'Usajob&mp0d', 'demo3D-Fluga', 'example_sarc_ni.gz', 'head_11_contour.ni', and 'thresh_2stair_ni.gz'.
- Main View (Center):** Shows a 3D model of a human head in orange, rendered in a perspective view. The view is set to 'Orthogonal Planes'.
- Right Panel:** Contains 'View Mode' options (2D Planes, Orthogonal Planes, 2D Planes 0D), 'Sub Image' options, 'Plane View' buttons (Reset View, View X Plane, View Y Plane, View Z Plane), and '3D Contour Options' (Do 3D Threshold, View 3D Contour, Histogram 2D, Histogram 3D).
- Bottom Panel:** Features a status bar with task progress indicators and a system tray showing the date and time (Mon Sep 24 12:02 PM).

Data Analysis

- Computing clusters
 - SARA, NIKHEF, AMC
 - many others: BIGGrid, DAS-3
- Standard software installation
 - VL-e PoC
 - Includes imaging packages (VTK,ITK,FSL)
- Various middleware
 - EGEE
 - Experiment managers (NIMROD, custom)




Computing @ VL-e PoC EGEE Middleware




Computing Jobs on the Grid

Local storage



Computing Jobs on the Grid

External storage



jobrun Package

- bash script
- Features:
 - SRB as file system
 - Error checking
 - Configurable
- Usage
 - `jobrun.sh <job-config> <SRB-config>`



jobrun: Submission

- *edg-job-submit job.jdl*

```
Executable = "runJob.sh";  
Arguments  = "testJob.conf MdasEnv";  
StdOutput  = "std.out";  
StdError   = "std.err";  
OutputSandbox = {"std.out" , "std.err" };  
InputSandbox = {"runJob.sh", "testJob.conf" , "MdasEnv" };  
Requirements = Member("nl.vl-e.poc-release-1.0", \  
    other.GlueHostApplicationSoftwareRunTimeEnvironment);
```

fMRI Analysis Jobs: *feat* wrapper

Contrib: Kamel Boulebiar (IvI, UvA)

The screenshot displays a Grid environment interface. At the top, a menu bar includes 'Location', 'Edit', 'View', 'Tools', and 'Help'. Below the menu, a 'Location' field shows the path: 'abarriaga.vlenl@mu2.matrix.sara.nl:50000/VLENL/home/silvia.olabarriaga.vlenl/pp1/iaps28'. A toolbar with various icons is visible below the location field.

On the left, a 'Resource' tree view shows a directory structure under 'pp1' and 'iaps28'. The tree includes folders for 'phase-p-0.5.f', 'phase-p-1.0.f', 'phase-p-1.5.f', 'phase-p-2.0.f', 'phase-p0.0.fe', and 'phase-p0.5.fe', as well as folders 'mc', 'stats', and 'tsplot'. Below these are various design-related files like 'design.con', 'design.frf', 'design.fsf', 'design.gif', 'design.mat', 'design.ppr', 'design.trg', 'design_cov.', 'example_fu', and 'filtered_fun'.

Overlaid on the right is a configuration dialog for the 'feat' wrapper. It has the following fields:

- Input File:** srb://piter.de.boer.vlenl@srb.grid.sara.nl:50000/VLENL/home/public.npaci/demoVL-fMRI/fMRIData/fmridata.nii.gz
- Output Directory:** file://localhost/tmp/testFeatRunner
- Design Template File:** file://localhost/home/ptdeboer/feat/experiment.fsf

There is a checkbox for 'Silent mode' which is currently unchecked. Below the fields are two scrollable text areas labeled 'Std out:' and 'Std err:'. At the bottom of the dialog are four buttons: 'Run Feat', 'Cancel Feat', 'Save stdout', and 'Save stderr'.

Experiment Manager

- Facilitates data and job management of large experiments
 - Parameter and image sweeps
- with facilities for
 - Distribution of jobs on resources
 - Monitoring
- Example:
 - NIMROD (Monash University, Australia)



Experiment Plan

parameters

stage in

run task

stage out

```

Font: default 14
# + copy stdout, stderr from node
#
# sweep convolve_phase parameter

parameter NIM_scan text select anyof iaps28 iaps35;
parameter NIM_subject text default pp1;
parameter NIM_convolve_phase float range from -2 to 2 step 0.25;

task main
  onerror ignore
  copy ./runJob.sh node:
  copy ./MdasEnv node:

  # this replaces NIM_convolve_phase
  copy ./design-iaps-phase-template.fsf node:
  node:substitute design-iaps-phase-template.fsf design-iaps-phase.fsf

  # this replaces NIM_subject, NIM_scan, NIM_convolve_phase
  copy ./runfeat-phase-template.conf node:
  node:substitute runfeat-phase-template.conf runfeat-phase.conf

  # now run
  node:execute /bin/bash ./runJob.sh ./runfeat-phase.conf ./MdasEnv


  # get output
  copy node:stderr stderr.${NIM_subject}-${NIM_scan}-p${NIM_convolve_ph
  copy node:stdout stdout.${NIM_subject}-${NIM_scan}-p${NIM_convolve_p
endtask

```






Large Experiments on the Grid




1-D Parameter Sweep

22 scans, 17 values, 374 jobs, 420h CPU



2-D Parameter Sweep

1 scan, 1665 jobs, ~555h CPU



Overview

- VL-e, VL-e Medical
- Use Case: Functional MRI
 - Introduction
 - Virtual Lab for fMRI
 - Approach
 - Implementation
- Final Remarks



Current Status

- GAP at AMC
- Feat analysis from VBrower
- New experiment manager under development
- Added value for clinical research?

- More info
 - www.science.uva.nl/~silvia/vlfmri



Final Remarks

- No “rocket science”, no “free lunch” ...
 - Evolving technology and requirements
 - Evolving/unstable/poorly documented infrastructure
 - Tools with low usability for “end users”
 - Insufficient experts for application development
 - Difficult communication across domains and expertises (informatics, medical)




Conclusions

- “High Energy Physics Experiment” model is not appropriate for all application domains
- Collaboration among experts from various fields is essential for development of grid applications
- VL-e provides the scope for this collaboration



VL-e Medical & Co

- AMC (SP1.3)
 - Aart Nederveen, Matthan Caan, Sanna Gevers, Silvia Olabbarriaga
 - Kees Grimbergen, Ard den Heeten, Charles Majoie
- IvI
 - Kamel Boulebiar (SP1.3)
 - Piter de Boer, Adam Belloum (SP2.5)
 - Abdullah Ozsoy, Robert Belleman (SP2.1)
 - Breannán Ó Nualláin (SP2.1)
 - Guido van't Noordende, Matthijs Koot (SP2.4)
- SARA (SP4)
 - Maurice Bouwhuis, Bart Heupers
 - grid-support@sara.nl
- NIKHEF (SP4)
 - Jan Just Keijser, Dennis van Dok
 - grid-support@nikhef.nl
- VUMC (SP1.3)
 - Keith Cover, Bob van Dijk
 - Hugo Vrenken, Frederik Barkov
- Previous members
 - K. Maheshwari
 - J. Snel, J. Alkemade
 - A. Bucur, H. Obbink, J. van Leeuwen



Special Credits

- VBrowser: P. de Boer
- RFTS: K. Maheshwari
- 3D Viewer plug-in: A. Ozsoy
- fMRI analysis plug-in: K. Boulebiar
- GAP installation support: J.J. Keijser
- Clinical data: A. Nederveen

- Prof. Dr. Bob Hertzberger

The VL-e project is supported by a BSIK grant from the Dutch Ministry of Education, Culture and Science and is part of the ICT innovation program of the Ministry of Economic Affairs.

Thanks for your attention!

silvia@science.uva.nl

S.D.Olabarriaga@amc.uva.nl

www.science.uva.nl/~silvia



vl-e

[**http://www.vl-e.nl/**](http://www.vl-e.nl/)